



Receipt #

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Art Group: 1639

HOLM, Arne et al.

Filed: December 1, 2003

Atty Docket: P63882US1

Serial No.: 10/724,233

Examiner: TBD

For: METHOD FOR PREPARING A LIGAND PRESENTING ASSEMBLY (LPA), AN
LPA AND USES THEREOF

Mail Stop Patent Application
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR FILING RECEIPT CORRECTION

Sir:


Please correct the original filing receipt, copy attached,
for the above-identified application as follows:

Replace "Statens Serum Institut" with "Loke Diagnostics,
ApS" as Assignee of record. The Assignment was recorded January 18,
2002 at Reel/Frame: 012493/0950. A copy of the filing receipt with
the correction marked is enclosed.


Kindly return the "Corrected" filing receipt to the
undersigned attorneys of record. Also, enclosed is a credit card
payment for the required fee in the amount of \$25.00 for correcting
the filing receipt. If there are any additional charges, please
charge our Deposit Account No. 06-1358.

Respectfully submitted,

JACOBSON HOLMAN, PLLC


Joseph G. Contrera
Reg. No. 44,628

Date: 9 February 2004
400 Seventh Street, N.W.
Washington, DC 20004-2201
(202) 638-6666



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPL NO.	FILING OR 371 (c) DATE	ART UNIT	FIL FEE REC'D	ATTY. DOCKET NO	DRAWINGS	TOT CLMS	IND CLMS
10/724,233	12/01/2003	1639	428	P63882US1	13	18	4

CONFIRMATION NO. 3256

00136

JACOBSON HOLMAN PLLC
400 SEVENTH STREET N.W.
SUITE 600
WASHINGTON, DC 20004

FILING RECEIPT



OC000000011773192

Date Mailed: 01/28/2004

Receipt is acknowledged of this regular Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Filing Receipt Corrections, facsimile number 703-746-9195. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

Arne Holm, Skodsborg, DENMARK;
Rikke Malene Jorgensen, Lyngby, DENMARK;
Soren Ostergaard, Bronshoj, DENMARK;
Michael Theisen, Frederiksberg, DENMARK;

Assignment For Published Patent Application

~~Statens Serum Institut~~; **LOKE DIAGNOSTICS, APS**

Domestic Priority data as claimed by applicant

This application is a CON of 09/408,578 09/29/1999

Foreign Applications

DENMARK PA1998 01233 09/29/1998

If Required, Foreign Filing License Granted: 01/28/2004

Projected Publication Date: 05/06/2004

Non-Publication Request: No

Early Publication Request: No